

FV14 Finished vehicles - Vehicle Transport Order and Vehicle Transport Order Response (b)

This message is used for early transport order, transport order and transport order confirmation.

Whereas the transport forecast and advance transport notification concerns only volumes, the early transport order contains a list of individual vehicles, either already manufactured or about to be produced but which still may be subject to change before the official transport order is issued.

The transport order is the official order of the OEM for a vehicle transport.

As a response to the transport order, the OEM may receive a confirmation message, confirming the pick-up and transport of the vehicle. The transport order can be related to one or more vehicles but in all cases all the vehicles must have the same destination for the ordered transport leg.

VERSION No: V1R1
DATE: SEPTEMBER 2022
Author: ECG/Odette/VDA

1 Change History	2
2 Structure	7
3 Guideline	13
3 Example	38

CHANGE HISTORY

No	Changes
01	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Header/ReceiverID/@Agency
02	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Header/SenderID/@Agency
03	Date 2022-05-05 Version 1.1 Change Description extension of integer changed to extension of string to match added formats. Path Envelope/Body/VehicleTransportOrder/IssueDate
04	Date 2022-09-13 Version 1.1 Change Description Deleted CCYYMMDDhhmmZ and CCYYMMDDhhmssZ - no appropriate EDIFACT codes available. Use corresponding format with CCYYMMDDhhmssZZZ and CCYYMMDDhhmssZZZ with UTC to denominate zulu-time Path Envelope/Body/VehicleTransportOrder/IssueDate/@Format
05	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/IssueDate/@Format
06	Date 2022-05-12 Version 1.1 Change Description Code Reminder added Path Envelope/Body/VehicleTransportOrder/DocumentFunctionCode
07	Date 2022-09-13 Version 1.1 Change Description all Party-IDs have additional qualifiers VAT, Seller and AccountNumber Path Envelope/Body/VehicleTransportOrder/Header
08	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/SenderID/@Agency
09	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/ReceiverID/@Agency
10	Date 2022-05-12 Version 1.1 Change Description minOccurs 1 -> 0 (i.e. optional) Path Envelope/Body/VehicleTransportOrder/Header/Forwarder
11	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/Forwarder/Identifier/@Agency
12	Date 2022-05-12 Version 1.1 Change Description minOccurs 1 -> 0 (i.e. optional)



CHANGE HISTORY

No	Changes
13	Path Envelope/Body/VehicleTransportOrder/Header/ShipFrom Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/ShipFrom/Identifier/@Agency
14	Date 2022-05-12 Version 1.1 Change Description minOccurs 1 -> 0 (i.e. optional) Path Envelope/Body/VehicleTransportOrder/Header/ShipTo
15	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/ShipTo/Identifier/@Agency
16	Date 2022-09-13 Version 1.1 Change Description Code UN added Path Envelope/Body/VehicleTransportOrder/Header/ShipTo/Identifier/@Agency
17	Date 2022-02-18 Version 1.1 Change Description Status changed from mandatory to optional Path Envelope/Body/VehicleTransportOrder/Header/ShipTo/UnloadingPoint/LocationID
18	Date 2022-02-15 Version 1.1 Change Description Spelling corrected LogisticsSeviceProvider -> LogisticsServiceProvider Path Envelope/Body/VehicleTransportOrder/Header/LogisticsServiceProvider
19	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/LogisticsServiceProvider/Identifier/@Agency
20	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/Carrier/Identifier/@Agency
21	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/TransportBuyer/Identifier/@Agency
22	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/TransportSeller/Identifier/@Agency
23	Date 2022-02-11 Version 1.1 Change Description Code ContractNumber added Path Envelope/Body/VehicleTransportOrder/Header/Reference/@Qualifier
24	Date 2022-02-11 Version 1.1 Change Description Code TransportChainReference added Path Envelope/Body/VehicleTransportOrder/Header/Reference/@Qualifier

CHANGE HISTORY

No	Changes
25	Date 2022-05-12 Version Codes harmonised with status message Change Description Envelope/Body/VehicleTransportOrder/Header/TransportMeansType Path
26	Date 2022-05-05 Version 1.1 Change Description extension of integer changed to extension of string to match added formats. Path Envelope/Body/VehicleTransportOrder/Header/TransportDetails/RequestedPickupDate
27	Date 2022-09-13 Version 1.1 Change Description Deleted CCYMMDDhhmmZ and CCYMMDDhhmmssZ - no appropriate EDIFACT codes available. Use corresponding format with CCYMMDDhhmmssZZZ and CCYMMDDhhmmssZZZ with UTC to denominate zulu-time Path Envelope/Body/VehicleTransportOrder/Header/TransportDetails/RequestedPickupDate/@Format
28	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/TransportDetails/RequestedPickupDate/@Format
29	Date 2022-05-05 Version 1.1 Change Description extension of integer changed to extension of string to match added formats. Path Envelope/Body/VehicleTransportOrder/Header/TransportDetails/RequestedDeliveryDate
30	Date 2022-09-13 Version 1.1 Change Description Deleted CCYMMDDhhmmZ and CCYMMDDhhmmssZ - no appropriate EDIFACT codes available. Use corresponding format with CCYMMDDhhmmssZZZ and CCYMMDDhhmmssZZZ with UTC to denominate zulu-time Path Envelope/Body/VehicleTransportOrder/Header/TransportDetails/RequestedDeliveryDate/@Format
31	Date 2022-05-12 Version 1.1 Change Description optional -> required Path Envelope/Body/VehicleTransportOrder/Header/TransportDetails/RequestedDeliveryDate/@Format
32	Date 2022-05-05 Version 1.1 Change Description extension of integer changed to extension of string to match added formats. Path Envelope/Body/VehicleTransportOrder/Header/TransportDetails/ConfirmedPickupDate
33	Date 2022-09-13 Version 1.1 Change Description Deleted CCYMMDDhhmmZ and CCYMMDDhhmmssZ - no appropriate EDIFACT codes available. Use corresponding format with CCYMMDDhhmmssZZZ and CCYMMDDhhmmssZZZ with UTC to denominate zulu-time



CHANGE HISTORY

No	Changes	
		Envelope/Body/VehicleTransportOrder/Header/TransportDetails/ConfirmedPickupDate/@Format
34	Date Version Change Description Path	2022-05-12 1.1 optional -> required Envelope/Body/VehicleTransportOrder/Header/TransportDetails/ConfirmedPickupDate/@Format
35	Date Version Change Description Path	2022-05-05 1.1 extension of integer changed to extension of string to match added formats. Envelope/Body/VehicleTransportOrder/Header/TransportDetails/ConfirmedDeliveryDate
36	Date Version Change Description Path	2022-09-13 1.1 Deleted CCYYMMDDhhmmZ and CCYYMMDDhhmmssZ - no appropriate EDIFACT codes available. Use corresponding format with CCYYMMDDhhmmssZZZ and CCYYMMDDhhmmssZZZ with UTC to denominate zulu-time Envelope/Body/VehicleTransportOrder/Header/TransportDetails/ConfirmedDeliveryDate/@Format
37	Date Version Change Description Path	2022-05-12 1.1 optional -> required Envelope/Body/VehicleTransportOrder/Header/TransportDetails/ConfirmedDeliveryDate/@Format
38	Date Version Change Description Path	2022-02-07 1.1 new element Envelope/Body/VehicleTransportOrder/Header/TransportDetails/TransportMeansName
39	Date Version Change Description Path	2022-02-07 1.1 new element Envelope/Body/VehicleTransportOrder/Header/TransportDetails/JourneyID
40	Date Version Change Description Path	2022-05-05 1.1 max occurrence 1 -> unbounded Envelope/Body/VehicleTransportOrder/Header/FreeText
41	Date Version Change Description Path	2022-05-05 1.1 max occurrence 1 -> unbounded Envelope/Body/VehicleTransportOrder/Header/FreeText
42	Date Version Change Description Path	2022-02-07 1.1 new element Envelope/Body/VehicleTransportOrder/Line/Vehicle/MRNContingencyIndicator
43	Date Version Change Description Path	2022-02-07 1.1 new element Envelope/Body/VehicleTransportOrder/Line/Vehicle/NCTSContingencyIndicator



CHANGE HISTORY

No	Changes
44	Date 2022-02-08 Version 1.1 Change Description new attribute Path Envelope/Body/VehicleTransportOrder/Line/ContainerID/@SealNumber

STRUCTURE

Occurrence	Element/Attribute
	Envelope
required	@ Version
required	@ ControllingInstance
1 .. 1	xs:sequence
1 .. 1	Header
1 .. 1	xs:sequence
1 .. 1	ReceiverID
required	@ Agency
1 .. 1	SenderID
required	@ Agency
1 .. 1	MessageType
1 .. 1	InterchangeID
1 .. 1	Timestamp
0 .. 1	TestIndicator
1 .. 1	Body
1 .. 1	xs:sequence
1 .. 1	xs:sequence
1 .. 1	xs:choice
1 .. 1	VehicleTransportOrder
required	@ Version
required	@ ControllingInstance
1 .. 1	xs:sequence
1 .. 1	SubType
0 .. 1	Profile
1 .. 1	DocumentID
1 .. 1	IssueDate
required	@ Format
1 .. 1	DocumentFunctionCode
1 .. 1	Header
1 .. 1	xs:sequence
1 .. unbounded	SenderID
required	@ Agency
1 .. unbounded	ReceiverID
required	@ Agency
0 .. 1	Forwarder
1 .. 1	xs:sequence
1 .. unbounded	Identifier
required	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City

Bold = Simple Element, Bold on grey background = Complex Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

STRUCTURE

Occurrence	Element/Attribute
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. 1	ShipFrom
1 .. 1	xs:sequence
1 .. unbounded required	Identifier
	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. 1	LoadingPoint
	@ Lat
	@ Lon
1 .. 1	xs:sequence
0 .. 1	LocationID
	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. 2	Contact
	@ Qualifier
1 .. 1	xs:sequence
0 .. 1	Identifier
	@ Agency
1 .. 1	Name
0 .. 1	Telephone
0 .. 1	Telefax
0 .. 1	Email
0 .. 1	ShipTo
1 .. 1	xs:sequence
1 .. unbounded required	Identifier
	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence

Bold = Simple Element, Bold on grey background = Complex Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

STRUCTURE

Occurrence	Element/Attribute
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. 1	UnloadingPoint
	@ Lat
	@ Lon
1 .. 1	xs:sequence
0 .. 1	LocationID
	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. 1	Contact
	@ Qualifier
1 .. 1	xs:sequence
0 .. 1	Identifier
	@ Agency
1 .. 1	Name
0 .. 1	Telephone
0 .. 1	Telefax
0 .. 1	Email
0 .. 1	LogisticsServiceProvider
1 .. 1	xs:sequence
1 .. unbounded required	Identifier
	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName

Bold = Simple Element, Bold on grey background = Complex Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

STRUCTURE

Occurrence	Element/Attribute
0 .. 1 required	Contact
1 .. 1	@ Qualifier
0 .. 1	xs:sequence
1 .. 1	Identifier
0 .. 1	@ Agency
0 .. 1	Name
0 .. 1	Telephone
0 .. 1	Telefax
0 .. 1	Email
0 .. 1	Carrier
1 .. 1	xs:sequence
1 .. unbounded required	Identifier
0 .. 1	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. 1	TransportBuyer
1 .. 1	xs:sequence
1 .. unbounded required	Identifier
0 .. 1	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. 1	TransportSeller
1 .. 1	xs:sequence
1 .. unbounded required	Identifier
0 .. 1	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2
0 .. 1	Street1

Bold = Simple Element, Bold on grey background = Complex Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

STRUCTURE

Occurrence	Element/Attribute
0 .. 1	Street2
0 .. 1	PostalCode
0 .. 1	City
0 .. 1	CountryCode
0 .. 1	CountryName
0 .. unbounded	Reference
required	@ Qualifier
0 .. 1	TransportMode
	@ Requirements
0 .. 1	TransportMeansType
0 .. 1	TransportDetails
1 .. 1	xs:sequence
0 .. 1	RequestedPickupDate
required	@ Format
0 .. 1	RequestedDeliveryDate
required	@ Format
0 .. 1	ConfirmedPickupDate
required	@ Format
0 .. 1	ConfirmedDeliveryDate
required	@ Format
0 .. unbounded	TransportMeansID
0 .. 1	TransportMeansName
0 .. 1	JourneyID
0 .. unbounded	FreeText
	@ Qualifier
	@ Language
1 .. unbounded	Line
1 .. 1	xs:sequence
1 .. 1	Vehicle
	@ Priority
	@ DispatchType
	@ OrderType
	@ YardNumber
	@ SequenceNumber
1 .. 1	xs:sequence
1 .. 1	xs:sequence
1 .. 2	VehicleID
required	@ Type
0 .. 1	FinalDestination
	@ Lat
	@ Lon
1 .. 1	xs:sequence
0 .. 1	LocationID
	@ Agency
0 .. 1	Address
1 .. 1	xs:sequence
0 .. 1	Name1
0 .. 1	Name2

Bold = Simple Element, Bold on grey background = Complex Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

STRUCTURE

Occurrence	Element/Attribute
0 .. 1	<ul style="list-style-type: none"> — Street1 — Street2 — PostalCode — City — CountryCode — CountryName
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	
0 .. 1	— MRNContingencyIndicator
0 .. 1	— NCTSContingencyIndicator
0 .. 1	— CustomsValue
	@ Currency
0 .. 1	— Mileage
required	@ UoM
0 .. 1	— LicensePlate
0 .. 1	— ContainerID
	@ SealNumber

Bold = Simple Element, Bold on grey background = Complex Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
Envelope	<p>Type extension (EnvelopeType)</p> <p>Remark The Envelope element provides a wrapper around the message that can be used by traditional EDI-systems and web-services to identify the message sender and receiver on a technical level rather than the commercial level. It contains also a unique interchange number for tracking, tracing and reference, a timestamp and an indicator, whether the interchange is a test.</p> <p>To keep it simple each envelope contains exactly one specified business message in its Body sub-element. For technical reasons (e.g. to select the correct converter-procedure in the EDI-system) this business message type must be specified in the Envelope/Header element as well.</p>
@ <i>Version</i>	<p>Type xs:normalizedString</p> <p>Fixed 2022A</p> <p>Use required</p> <p>WhiteSpace replace</p> <p>Remark Schema version</p> <p>Applicable Codes</p> <p>2022A</p>
@ <i>ControllingInstance</i>	<p>Type xs:string</p> <p>Fixed Odette</p> <p>Use required</p> <p>Remark To indicate the author (fixed: Odette)</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Header	<p>Occurrence 1 .. 1</p> <p>Type EnvelopeHeaderType</p> <p>Remark This element contains the interchange information of the data exchange.</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
ReceiverID	<p>Occurrence 1 .. 1</p> <p>Type PartyIdentifierType</p> <p>Length 1 .. 70</p> <p>Remark Technical ID of the receiver - e.g. address of a web-service or OFTP2-ID</p>
@ <i>Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Use required</p> <p>Remark Responsible agency or organisation assigning the identifier.</p> <p>Applicable Codes</p> <p>Buyer Identifier assigned by the buyer (customer)</p> <p>DUNS D.U.N.S. number, assigned by Dun and Bradstreet</p> <p>Odette Assigned by Odette</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
SenderID	Applicable Codes
	Operator Assigned by the owner of the operation
	Seller Identifier assigned by the supplier
	Occurrence 1 .. 1
	Type PartyIdentifierType
	Length 1 .. 70
	Remark Technical ID of the sender - e.g. address of a web-service or OFTP2-ID
	@ Agency
	Type IdentifierAssigningAgencyCode
	Use required
Remark Responsible agency or organisation assigning the identifier.	
MessageID	Applicable Codes
	Buyer Identifier assigned by the buyer (customer)
	DUNS D.U.N.S. number, assigned by Dun and Bradstreet
	Odette Operator Assigned by Odette
	Seller Identifier assigned by the supplier
	Occurrence 1 .. 1
	Type ElectronicDocumentTypeCode
	Remark The message type as identified in the web service.
	Applicable Codes
	VehicleTransportOrder
InterchangeID	Occurrence 1 .. 1
	Type xs:string
	Remark The unique ID assigned by the connector to the interchange. Recommended: combination of sender's URL+timestamp
Timestamp	Occurrence 1 .. 1
	Type xs:dateTime
	Remark Date and time of generation of the envelope (may differ from the message date itself), local time CCYY-MM-DDTHH:MM:SS - example: 2010-10-04T10:15:32
TestIndicator	Occurrence 0 .. 1
	Type xs:boolean
	Default false
	Remark To mark the interchange as test (true).
Body	Occurrence 1 .. 1
	Type EnvelopeBodyType
	Remark The Body element contains the business message and - in some cases - Attachments.

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
xs:sequence	Occurence 1 .. 1
xs:sequence	Occurence 1 .. 1
xs:choice	Occurence 1 .. 1 Remark Here, exactly one of the defined message elements follows.
VehicleTransportOrder	Occurence 1 .. 1 Type extension (ElectronicDocumentType) Remark Used as transport order confirmation or planned load configuration.
@ <i>Version</i>	Type MessageVersionCode Use required Remark Schema version Remark Equivalent to FV04 Transport Order Confirmation and Planned Load Configuration - finished vehicles IFTMCS
Applicable Codes	
	1.1
@ <i>ControllingInstance</i>	Type xs:string Fixed Odette Use required Remark To indicate the author (fixed: Odette)
xs:sequence	Occurence 1 .. 1
SubType	Occurence 1 .. 1 Type ElectronicDocumentSubTypeCode Remark To define the sub-type of the document - see codes
Applicable Codes	
EarlyVehicleTransportOrderResponse	Response to an early vehicle transport order
VehicleTransportOrderResponse	Confirmation of a vehicle transport order.
Profile	Occurence 0 .. 1 Type xs:string Name To identify the implementation profile of the message (e.g. the underlying business process etc.)
DocumentID	Occurence 1 .. 1 Type string_1_35 Length 1 .. 35 Remark The number issued by the creator of the document (i.e. transport order response number)
IssueDate	Occurence 1 .. 1 Type DateType2 Remark The date the electronic document was issued/generated.
@ <i>Format</i>	Type DateTypeFormatCode Use required Remark Format of date / date + time , coded

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
	<p>Applicable Codes</p> <p>CCYYMMDD Date</p> <p>CCYYMMDDhhmm Date and time</p> <p>CCYYMMDDhhmmZhmm Date & time with time zone offset, e.g. 20190124153000+0100 => 24.01.2019 15:30:00 Berlin time zone (UTC +1 hour)</p> <p>CCYYMMDDhhmmss Date & time including seconds</p> <p>CCYYMMDDhhmmssZhmm Date & time including seconds with time zone</p>
DocumentFunctionCode	<p>Occurrence 1 .. 1</p> <p>Type DocumentFunctionCode</p> <p>Default Original</p> <p>Remark To distinguish between original and duplicate, default: Original</p> <p>Applicable Codes</p> <p>Blocking</p> <p>Cancellation Cancellation</p> <p>Change Information The message is sent for information (e.g. to other parties involved in subsequent processes)</p> <p>Original Reminder Message is a reminder that a response to a previously sent message is still pending.</p> <p>Unblocking</p>
Header	<p>Occurrence 1 .. 1</p> <p>Type VehicleTransportOrderHeaderType</p>
<i>xs:sequence</i>	<p>Occurrence 1 .. 1</p>
SenderID	<p>Occurrence 1 .. unbounded</p> <p>Type PartyIdentifierType</p> <p>Length 1 .. 70</p> <p>Remark Commercial ID of the sender of the message</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Use required</p> <p>Remark Responsible agency or organisation assigning the identifier.</p> <p>Applicable Codes</p> <p>AccountNumber Buyer Account number assigned by Buyer Identifier assigned by the buyer (customer)</p> <p>DUNS D.U.N.S. number, assigned by Dun and Bradstreet</p> <p>Odette Seller Assigned by Odette Identifier assigned by the supplier</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
	<p>Applicable Codes</p> <p>VAT VAT registration number assigned by national tax authorities</p>
ReceiverID	<p>Occurrence 1 .. unbounded</p> <p>Type PartyIdentifierType</p> <p>Length 1 .. 70</p> <p>Remark Commercial ID of the receiver of the message.</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Use required</p> <p>Remark Responsible agency or organisation assigning the identifier.</p>
	<p>Applicable Codes</p> <p>AccountNumber Account number assigned by Buyer</p> <p>Buyer Identifier assigned by the buyer (customer)</p> <p>DUNS D.U.N.S. number, assigned by Dun and Bradstreet</p> <p>Odette Assigned by Odette</p> <p>Seller Identifier assigned by the supplier</p> <p>VAT VAT registration number assigned by national tax authorities</p>
Forwarder	<p>Occurrence 0 .. 1</p> <p>Type PartyType_4</p> <p>Remark The Party organising and selling the transport services.</p>
<i>xs:sequence</i>	<p>Occurrence 1 .. 1</p>
Identifier	<p>Occurrence 1 .. unbounded</p> <p>Type PartyIdentifierType</p> <p>Length 1 .. 70</p> <p>Remark Unique identifier of a party / business partner</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Use required</p> <p>Remark Responsible agency or organisation assigning the identifier.</p>
	<p>Applicable Codes</p> <p>AccountNumber Account number assigned by Buyer</p> <p>Buyer Identifier assigned by the buyer (customer)</p> <p>DUNS D.U.N.S. number, assigned by Dun and Bradstreet</p> <p>Odette Assigned by Odette</p> <p>Seller Identifier assigned by the supplier</p> <p>VAT VAT registration number assigned by national tax authorities</p>
Address	<p>Occurrence 0 .. 1</p> <p>Type AddressType_2</p> <p>Remark Name and address information</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
Name1	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 1
Name2	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 2
Street1	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Street - line 1
Street2	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35
PostalCode	Occurrence 0 .. 1 Type string_1_10 Length 1 .. 10
City	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35
CountryCode	Occurrence 0 .. 1 Type CountryCode Remark Country, coded according to ISO 3166-2
CountryName	Occurrence 0 .. 1 Type string_1_40 Length 1 .. 40 Remark Country name
ShipFrom	Occurrence 0 .. 1 Type extension (PartyType_4) Remark The ship-from party of the current transport leg.
xs:sequence	Occurrence 1 .. 1
Identifier	Occurrence 1 .. unbounded Type PartyIdentifierType Length 1 .. 70 Remark Unique identifier of a party / business partner
<i>@ Agency</i>	Type IdentifierAssigningAgencyCode Use required Remark Responsible agency or organisation assigning the identifier.
	Applicable Codes
	AccountNumber Account number assigned by Buyer
	Buyer Identifier assigned by the buyer (customer)
	DUNS D.U.N.S. number, assigned by Dun

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation								
	<table border="1"> <thead> <tr> <th colspan="2">Applicable Codes</th> </tr> </thead> <tbody> <tr> <td>Odette</td> <td>and Bradstreet</td> </tr> <tr> <td>Seller</td> <td>Assigned by Odette</td> </tr> <tr> <td>VAT</td> <td>Identifier assigned by the supplier VAT registration number assigned by national tax authorities</td> </tr> </tbody> </table>	Applicable Codes		Odette	and Bradstreet	Seller	Assigned by Odette	VAT	Identifier assigned by the supplier VAT registration number assigned by national tax authorities
Applicable Codes									
Odette	and Bradstreet								
Seller	Assigned by Odette								
VAT	Identifier assigned by the supplier VAT registration number assigned by national tax authorities								
Address	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>AddressType_2</td> </tr> <tr> <td>Remark</td> <td>Name and address information</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	AddressType_2	Remark	Name and address information		
Occurrence	0 .. 1								
Type	AddressType_2								
Remark	Name and address information								
<i>xs:sequence</i>	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> </tbody> </table>	Occurrence	1 .. 1						
Occurrence	1 .. 1								
Name1	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Remark</td> <td>Name - line 1</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35	Remark	Name - line 1
Occurrence	0 .. 1								
Type	string_1_35								
Length	1 .. 35								
Remark	Name - line 1								
Name2	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Remark</td> <td>Name - line 2</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35	Remark	Name - line 2
Occurrence	0 .. 1								
Type	string_1_35								
Length	1 .. 35								
Remark	Name - line 2								
Street1	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Remark</td> <td>Street - line 1</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35	Remark	Street - line 1
Occurrence	0 .. 1								
Type	string_1_35								
Length	1 .. 35								
Remark	Street - line 1								
Street2	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35		
Occurrence	0 .. 1								
Type	string_1_35								
Length	1 .. 35								
PostalCode	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_10</td> </tr> <tr> <td>Length</td> <td>1 .. 10</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	string_1_10	Length	1 .. 10		
Occurrence	0 .. 1								
Type	string_1_10								
Length	1 .. 10								
City	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35		
Occurrence	0 .. 1								
Type	string_1_35								
Length	1 .. 35								
CountryCode	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>CountryCode</td> </tr> <tr> <td>Remark</td> <td>Country, coded according to ISO 3166-2</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	CountryCode	Remark	Country, coded according to ISO 3166-2		
Occurrence	0 .. 1								
Type	CountryCode								
Remark	Country, coded according to ISO 3166-2								
CountryName	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_40</td> </tr> <tr> <td>Length</td> <td>1 .. 40</td> </tr> <tr> <td>Remark</td> <td>Country name</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	string_1_40	Length	1 .. 40	Remark	Country name
Occurrence	0 .. 1								
Type	string_1_40								
Length	1 .. 40								
Remark	Country name								
LoadingPoint	<table border="1"> <tbody> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>LocationType</td> </tr> <tr> <td>Remark</td> <td>To specify a specific location</td> </tr> </tbody> </table>	Occurrence	0 .. 1	Type	LocationType	Remark	To specify a specific location		
Occurrence	0 .. 1								
Type	LocationType								
Remark	To specify a specific location								
<i>@ Lat</i>	<table border="1"> <tbody> <tr> <td>Type</td> <td>xs:decimal</td> </tr> <tr> <td>FractionDigits</td> <td>7</td> </tr> <tr> <td>Inclusive</td> <td>-90 .. 90</td> </tr> <tr> <td>Remark</td> <td>Latitude of the location, max 6 fraction digits</td> </tr> </tbody> </table>	Type	xs:decimal	FractionDigits	7	Inclusive	-90 .. 90	Remark	Latitude of the location, max 6 fraction digits
Type	xs:decimal								
FractionDigits	7								
Inclusive	-90 .. 90								
Remark	Latitude of the location, max 6 fraction digits								

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
<i>@ Lon</i>	Type xs:decimal FractionDigits 7 Inclusive -180 .. 180 Remark Longitude of the location, max 6 fraction digits
xs:sequence	Occurrence 1 .. 1
LocationID	Occurrence 0 .. 1 Type IdentifierType Length 1 .. 20 Remark A unique identifier for this location.
<i>@ Agency</i>	Type IdentifierAssigningAgencyCode Remark Responsible agency or organisation assigning the identifier.
Address	Occurrence 0 .. 1 Type AddressType_2 Remark Name and address of the location
xs:sequence	Occurrence 1 .. 1
Name1	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 1
Name2	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 2
Street1	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Street - line 1
Street2	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35
PostalCode	Occurrence 0 .. 1 Type string_1_10 Length 1 .. 10
City	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35
CountryCode	Occurrence 0 .. 1 Type CountryCode Remark Country, coded according to ISO 3166-2
CountryName	Occurrence 0 .. 1 Type string_1_40 Length 1 .. 40 Remark Country name

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
Contact	<p>Occurrence 0 .. 2</p> <p>Type extension (ContactType)</p> <p>Remark Contact information for the business partner</p>
<i>@ Qualifier</i>	<p>Type ContactQualifierCode</p> <p>Applicable Codes</p> <p>Expedition Information The contact for expediting issues. General information contact</p>
xs:sequence	Occurrence 1 .. 1
Identifier	<p>Occurrence 0 .. 1</p> <p>Type IdentifierType</p> <p>Length 1 .. 20</p> <p>Remark A unique identifier for this contact.</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Remark Responsible agency or organisation assigning the identifier.</p>
Name	<p>Occurrence 1 .. 1</p> <p>Type string_1_30</p> <p>Length 1 .. 30</p> <p>Remark Name of the contact partner or organisation unit.</p>
Telephone	<p>Occurrence 0 .. 1</p> <p>Type string_1_25</p> <p>Length 1 .. 25</p> <p>Remark Telephone number</p>
Telefax	<p>Occurrence 0 .. 1</p> <p>Type string_1_25</p> <p>Length 1 .. 25</p> <p>Remark Telefax number</p>
Email	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>Remark Email address</p>
ShipTo	<p>Occurrence 0 .. 1</p> <p>Type extension (PartyType_4)</p> <p>Remark The ship-to party of the current transport leg.</p>
xs:sequence	Occurrence 1 .. 1
Identifier	<p>Occurrence 1 .. unbounded</p> <p>Type PartyIdentifierType</p> <p>Length 1 .. 70</p> <p>Remark Unique identifier of a party / business partner</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Use required</p> <p>Remark Responsible agency or organisation assigning the identifier.</p> <p>Applicable Codes</p> <p>AccountNumber Account number assigned by Buyer</p> <p>Buyer Identifier assigned by the buyer</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation										
	<table border="1"> <thead> <tr> <th colspan="2">Applicable Codes</th> </tr> </thead> <tbody> <tr> <td>DUNS</td> <td>(customer) D.U.N.S. number, assigned by Dun and Bradstreet</td> </tr> <tr> <td>Odette Seller</td> <td>Assigned by Odette</td> </tr> <tr> <td>UN</td> <td>Identifier assigned by the supplier UN/ECE</td> </tr> <tr> <td>VAT</td> <td>VAT registration number assigned by national tax authorities</td> </tr> </tbody> </table>	Applicable Codes		DUNS	(customer) D.U.N.S. number, assigned by Dun and Bradstreet	Odette Seller	Assigned by Odette	UN	Identifier assigned by the supplier UN/ECE	VAT	VAT registration number assigned by national tax authorities
Applicable Codes											
DUNS	(customer) D.U.N.S. number, assigned by Dun and Bradstreet										
Odette Seller	Assigned by Odette										
UN	Identifier assigned by the supplier UN/ECE										
VAT	VAT registration number assigned by national tax authorities										
Address	<p>Occurrence 0 .. 1</p> <p>Type AddressType_2</p> <p>Remark Name and address information</p>										
<i>xs:sequence</i>	<p>Occurrence 1 .. 1</p>										
Name1	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p> <p>Remark Name - line 1</p>										
Name2	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p> <p>Remark Name - line 2</p>										
Street1	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p> <p>Remark Street - line 1</p>										
Street2	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p>										
PostalCode	<p>Occurrence 0 .. 1</p> <p>Type string_1_10</p> <p>Length 1 .. 10</p>										
City	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p>										
CountryCode	<p>Occurrence 0 .. 1</p> <p>Type CountryCode</p> <p>Remark Country, coded according to ISO 3166-2</p>										
CountryName	<p>Occurrence 0 .. 1</p> <p>Type string_1_40</p> <p>Length 1 .. 40</p> <p>Remark Country name</p>										
UnloadingPoint	<p>Occurrence 0 .. 1</p> <p>Type LocationType</p> <p>Remark To specify a specific location</p>										

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
<i>@ Lat</i>	Type xs:decimal FractionDigits 7 Inclusive -90 .. 90 Remark Latitude of the location, max 6 fraction digits
<i>@ Lon</i>	Type xs:decimal FractionDigits 7 Inclusive -180 .. 180 Remark Longitude of the location, max 6 fraction digits
xs:sequence	Occurence 1 .. 1
LocationID	Occurence 0 .. 1 Type IdentifierType Length 1 .. 20 Remark A unique identifier for this location.
<i>@ Agency</i>	Type IdentifierAssigningAgencyCode Remark Responsible agency or organisation assigning the identifier.
Address	Occurence 0 .. 1 Type AddressType_2 Remark Name and address of the location
xs:sequence	Occurence 1 .. 1
Name1	Occurence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 1
Name2	Occurence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 2
Street1	Occurence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Street - line 1
Street2	Occurence 0 .. 1 Type string_1_35 Length 1 .. 35
PostalCode	Occurence 0 .. 1 Type string_1_10 Length 1 .. 10
City	Occurence 0 .. 1 Type string_1_35 Length 1 .. 35
CountryCode	Occurence 0 .. 1 Type CountryCode Remark Country, coded according to ISO 3166-2

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
CountryName	Occurrence 0 .. 1 Type string_1_40 Length 1 .. 40 Remark Country name
Contact	Occurrence 0 .. 1 Type extension (ContactType) Remark Contact information for the business partner
@ Qualifier	Type ContactQualifierCode Applicable Codes Information General information contact Quality Quality related contact Reception Goods reception contact
xs:sequence	Occurrence 1 .. 1
Identifier	Occurrence 0 .. 1 Type IdentifierType Length 1 .. 20 Remark A unique identifier for this contact.
@ Agency	Type IdentifierAssigningAgencyCode Remark Responsible agency or organisation assigning the identifier.
Name	Occurrence 1 .. 1 Type string_1_30 Length 1 .. 30 Remark Name of the contact partner or organisation unit.
Telephone	Occurrence 0 .. 1 Type string_1_25 Length 1 .. 25 Remark Telephone number
Telefax	Occurrence 0 .. 1 Type string_1_25 Length 1 .. 25 Remark Telefax number
Email	Occurrence 0 .. 1 Type xs:string Remark Email address
LogisticsServiceProvider	Occurrence 0 .. 1 Type extension (PartyType_4) Remark A partner other than the forwarder providing specialised logistics services, such as loading e.t.c.
xs:sequence	Occurrence 1 .. 1
Identifier	Occurrence 1 .. unbounded Type PartyIdentifierType Length 1 .. 70 Remark Unique identifier of a party / business partner

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode Use required Remark Responsible agency or organisation assigning the identifier.</p> <p>Applicable Codes</p> <p>AccountNumber Account number assigned by Buyer Buyer Identifier assigned by the buyer (customer) DUNS D.U.N.S. number, assigned by Dun and Bradstreet Odette Seller Assigned by Odette VAT Identifier assigned by the supplier VAT registration number assigned by national tax authorities</p>
Address	<p>Occurrence 0 .. 1 Type AddressType_2 Remark Name and address information</p>
<i>xs:sequence</i>	<p>Occurrence 1 .. 1</p>
Name1	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 1</p>
Name2	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 2</p>
Street1	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Street - line 1</p>
Street2	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35</p>
PostalCode	<p>Occurrence 0 .. 1 Type string_1_10 Length 1 .. 10</p>
City	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35</p>
CountryCode	<p>Occurrence 0 .. 1 Type CountryCode Remark Country, coded according to ISO 3166-2</p>
CountryName	<p>Occurrence 0 .. 1 Type string_1_40 Length 1 .. 40 Remark Country name</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
Contact	<p>Occurrence 0 .. 1</p> <p>Type extension (ContactType)</p> <p>Remark Contact information for the business partner</p>
<i>@ Qualifier</i>	<p>Type ContactQualifierCode</p> <p>Use required</p> <p>Applicable Codes</p> <p>Information General information contact</p>
xs:sequence	Occurrence 1 .. 1
Identifier	<p>Occurrence 0 .. 1</p> <p>Type IdentifierType</p> <p>Length 1 .. 20</p> <p>Remark A unique identifier for this contact.</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Remark Responsible agency or organisation assigning the identifier.</p>
Name	<p>Occurrence 1 .. 1</p> <p>Type string_1_30</p> <p>Length 1 .. 30</p> <p>Remark Name of the contact partner or organisation unit.</p>
Telephone	<p>Occurrence 0 .. 1</p> <p>Type string_1_25</p> <p>Length 1 .. 25</p> <p>Remark Telephone number</p>
Telefax	<p>Occurrence 0 .. 1</p> <p>Type string_1_25</p> <p>Length 1 .. 25</p> <p>Remark Telefax number</p>
Email	<p>Occurrence 0 .. 1</p> <p>Type xs:string</p> <p>Remark Email address</p>
Carrier	<p>Occurrence 0 .. 1</p> <p>Type PartyType_4</p> <p>Remark Commercial ID of the carrier (the party, who is contracted by the forwarder and actually provides the transport services)</p>
xs:sequence	Occurrence 1 .. 1
Identifier	<p>Occurrence 1 .. unbounded</p> <p>Type PartyIdentifierType</p> <p>Length 1 .. 70</p> <p>Remark Unique identifier of a party / business partner</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Use required</p> <p>Remark Responsible agency or organisation assigning the identifier.</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation														
	<table border="1"> <thead> <tr> <th colspan="2">Applicable Codes</th> </tr> </thead> <tbody> <tr> <td>AccountNumber</td> <td>Account number assigned by Buyer</td> </tr> <tr> <td>Buyer</td> <td>Identifier assigned by the buyer (customer)</td> </tr> <tr> <td>DUNS</td> <td>D.U.N.S. number, assigned by Dun and Bradstreet</td> </tr> <tr> <td>Odette Seller</td> <td>Assigned by Odette</td> </tr> <tr> <td>VAT</td> <td>Identifier assigned by the supplier</td> </tr> <tr> <td></td> <td>VAT registration number assigned by national tax authorities</td> </tr> </tbody> </table>	Applicable Codes		AccountNumber	Account number assigned by Buyer	Buyer	Identifier assigned by the buyer (customer)	DUNS	D.U.N.S. number, assigned by Dun and Bradstreet	Odette Seller	Assigned by Odette	VAT	Identifier assigned by the supplier		VAT registration number assigned by national tax authorities
Applicable Codes															
AccountNumber	Account number assigned by Buyer														
Buyer	Identifier assigned by the buyer (customer)														
DUNS	D.U.N.S. number, assigned by Dun and Bradstreet														
Odette Seller	Assigned by Odette														
VAT	Identifier assigned by the supplier														
	VAT registration number assigned by national tax authorities														
Address	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>AddressType_2</td> </tr> <tr> <td>Remark</td> <td>Name and address information</td> </tr> </table>	Occurrence	0 .. 1	Type	AddressType_2	Remark	Name and address information								
Occurrence	0 .. 1														
Type	AddressType_2														
Remark	Name and address information														
xs:sequence	<table border="1"> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> </table>	Occurrence	1 .. 1												
Occurrence	1 .. 1														
Name1	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Remark</td> <td>Name - line 1</td> </tr> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35	Remark	Name - line 1						
Occurrence	0 .. 1														
Type	string_1_35														
Length	1 .. 35														
Remark	Name - line 1														
Name2	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Remark</td> <td>Name - line 2</td> </tr> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35	Remark	Name - line 2						
Occurrence	0 .. 1														
Type	string_1_35														
Length	1 .. 35														
Remark	Name - line 2														
Street1	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> <tr> <td>Remark</td> <td>Street - line 1</td> </tr> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35	Remark	Street - line 1						
Occurrence	0 .. 1														
Type	string_1_35														
Length	1 .. 35														
Remark	Street - line 1														
Street2	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35								
Occurrence	0 .. 1														
Type	string_1_35														
Length	1 .. 35														
PostalCode	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_10</td> </tr> <tr> <td>Length</td> <td>1 .. 10</td> </tr> </table>	Occurrence	0 .. 1	Type	string_1_10	Length	1 .. 10								
Occurrence	0 .. 1														
Type	string_1_10														
Length	1 .. 10														
City	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_35</td> </tr> <tr> <td>Length</td> <td>1 .. 35</td> </tr> </table>	Occurrence	0 .. 1	Type	string_1_35	Length	1 .. 35								
Occurrence	0 .. 1														
Type	string_1_35														
Length	1 .. 35														
CountryCode	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>CountryCode</td> </tr> <tr> <td>Remark</td> <td>Country, coded according to ISO 3166-2</td> </tr> </table>	Occurrence	0 .. 1	Type	CountryCode	Remark	Country, coded according to ISO 3166-2								
Occurrence	0 .. 1														
Type	CountryCode														
Remark	Country, coded according to ISO 3166-2														
CountryName	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>string_1_40</td> </tr> <tr> <td>Length</td> <td>1 .. 40</td> </tr> <tr> <td>Remark</td> <td>Country name</td> </tr> </table>	Occurrence	0 .. 1	Type	string_1_40	Length	1 .. 40	Remark	Country name						
Occurrence	0 .. 1														
Type	string_1_40														
Length	1 .. 40														
Remark	Country name														
TransportBuyer	<table border="1"> <tr> <td>Occurrence</td> <td>0 .. 1</td> </tr> <tr> <td>Type</td> <td>PartyType_4</td> </tr> <tr> <td>Remark</td> <td>Buyer of the transport service</td> </tr> </table>	Occurrence	0 .. 1	Type	PartyType_4	Remark	Buyer of the transport service								
Occurrence	0 .. 1														
Type	PartyType_4														
Remark	Buyer of the transport service														
xs:sequence	<table border="1"> <tr> <td>Occurrence</td> <td>1 .. 1</td> </tr> </table>	Occurrence	1 .. 1												
Occurrence	1 .. 1														

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
Identifier	<p>Occurrence 1 .. unbounded</p> <p>Type PartyIdentifierType</p> <p>Length 1 .. 70</p> <p>Remark Unique identifier of a party / business partner</p>
<i>@ Agency</i>	<p>Type IdentifierAssigningAgencyCode</p> <p>Use required</p> <p>Remark Responsible agency or organisation assigning the identifier.</p>
	<p>Applicable Codes</p> <p>AccountNumber Account number assigned by Buyer</p> <p>Buyer Identifier assigned by the buyer (customer)</p> <p>DUNS D.U.N.S. number, assigned by Dun and Bradstreet</p> <p>Odette Assigned by Odette</p> <p>Seller Identifier assigned by the supplier</p> <p>VAT VAT registration number assigned by national tax authorities</p>
Address	<p>Occurrence 0 .. 1</p> <p>Type AddressType_2</p> <p>Remark Name and address information</p>
<i>xs:sequence</i>	<p>Occurrence 1 .. 1</p>
Name1	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p> <p>Remark Name - line 1</p>
Name2	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p> <p>Remark Name - line 2</p>
Street1	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p> <p>Remark Street - line 1</p>
Street2	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p>
PostalCode	<p>Occurrence 0 .. 1</p> <p>Type string_1_10</p> <p>Length 1 .. 10</p>
City	<p>Occurrence 0 .. 1</p> <p>Type string_1_35</p> <p>Length 1 .. 35</p>
CountryCode	<p>Occurrence 0 .. 1</p> <p>Type CountryCode</p> <p>Remark Country, coded according to ISO 3166-2</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
CountryName	<p>Occurrence 0 .. 1 Type string_1_40 Length 1 .. 40 Remark Country name</p>
TransportSeller	<p>Occurrence 0 .. 1 Type PartyType_4 Remark Seller of the transport service</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Identifier	<p>Occurrence 1 .. unbounded Type PartyIdentifierType Length 1 .. 70 Remark Unique identifier of a party / business partner</p>
@ Agency	<p>Type IdentifierAssigningAgencyCode Use required Remark Responsible agency or organisation assigning the identifier.</p>
Applicable Codes	
AccountNumber	Account number assigned by Buyer
Buyer	Identifier assigned by the buyer (customer)
DUNS	D.U.N.S. number, assigned by Dun and Bradstreet
Odette	Assigned by Odette
Seller	Identifier assigned by the supplier
VAT	VAT registration number assigned by national tax authorities
Address	<p>Occurrence 0 .. 1 Type AddressType_2 Remark Name and address information</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Name1	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 1</p>
Name2	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 2</p>
Street1	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Street - line 1</p>
Street2	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation																
PostalCode	<p>Occurrence 0 .. 1 Type string_1_10 Length 1 .. 10</p>																
City	<p>Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35</p>																
CountryCode	<p>Occurrence 0 .. 1 Type CountryCode Remark Country, coded according to ISO 3166-2</p>																
CountryName	<p>Occurrence 0 .. 1 Type string_1_40 Length 1 .. 40 Remark Country name</p>																
Reference	<p>Occurrence 0 .. unbounded Type SimpleReferenceType Length 1 .. 70 Remark Reference to other business documents or messages</p>																
@ Qualifier	<p>Type DocumentReferenceQualifierCode Use required Remark Qualifies the type of reference - see code list</p> <p>Applicable Codes</p> <table border="0"> <tr> <td>AuthorisationNumber</td> <td>Reference to an authorisation, e.g. in case of an authorised return or of extra transport costs</td> </tr> <tr> <td>BillOfLading</td> <td>ID / number of the bill of lading</td> </tr> <tr> <td>ContractNumber</td> <td>self explanatory</td> </tr> <tr> <td>CustomsReferenceNumber</td> <td>Reference number assigned by customs for this goods movement</td> </tr> <tr> <td>EarlyVehicleTransportOrder</td> <td>Reference to an early vehicle transport order</td> </tr> <tr> <td>LoadingList</td> <td>Reference number of a loading list / bordero</td> </tr> <tr> <td>TransportChainReference</td> <td>A unique reference connecting various transactions to a transport chain.</td> </tr> <tr> <td>TransportOrder</td> <td>Number / ID of the transport order</td> </tr> </table>	AuthorisationNumber	Reference to an authorisation, e.g. in case of an authorised return or of extra transport costs	BillOfLading	ID / number of the bill of lading	ContractNumber	self explanatory	CustomsReferenceNumber	Reference number assigned by customs for this goods movement	EarlyVehicleTransportOrder	Reference to an early vehicle transport order	LoadingList	Reference number of a loading list / bordero	TransportChainReference	A unique reference connecting various transactions to a transport chain.	TransportOrder	Number / ID of the transport order
AuthorisationNumber	Reference to an authorisation, e.g. in case of an authorised return or of extra transport costs																
BillOfLading	ID / number of the bill of lading																
ContractNumber	self explanatory																
CustomsReferenceNumber	Reference number assigned by customs for this goods movement																
EarlyVehicleTransportOrder	Reference to an early vehicle transport order																
LoadingList	Reference number of a loading list / bordero																
TransportChainReference	A unique reference connecting various transactions to a transport chain.																
TransportOrder	Number / ID of the transport order																
TransportMode	<p>Occurrence 0 .. 1 Type extension (TransportModeCode) Remark Transport mode code and special requirements</p> <p>Applicable Codes</p> <table border="0"> <tr> <td>1</td> <td>Maritime transport Transport of goods and/or persons is by sea.</td> </tr> <tr> <td>2</td> <td>Rail transport Transport of goods and/or persons is by rail.</td> </tr> <tr> <td>3</td> <td>Road transport</td> </tr> </table>	1	Maritime transport Transport of goods and/or persons is by sea.	2	Rail transport Transport of goods and/or persons is by rail.	3	Road transport										
1	Maritime transport Transport of goods and/or persons is by sea.																
2	Rail transport Transport of goods and/or persons is by rail.																
3	Road transport																

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
	Applicable Codes
	Transport of goods and/or persons is by road.
4	Air transport
	Transport of goods and/or persons is by air.
8	Inland water transport
	Transport of goods and/or persons is by inland water transport.
X	own axles / self propelled
@ Requirements	Type TransportRequirementsCode
	Applicable Codes
	closed
	containerised
	open
TransportMeansType	Occurrence 0 .. 1
	Type TransportMeansCode
	Remark Means of transport type, coded
	Applicable Codes
T31	Single vehicle trailer
T32	Single level multi-car trailer
T33	Multi level multi car trailer
T34	Own wheel/ own axels
T35	Truck on train
T36	Truck on vessel
31	Truck
	Automotive vehicle designed for hauling loads.
210	Train, railroad
	One or more rail wagons pulled or pushed by one or more locomotive units, or self-propelled, that move over rail tracks.
803	Container vessel
	Motorized vessel specially designed and equipped for carrying containers.
815	Freight barge
	Lighter or Barge designed for carrying general cargo, either having no motive power of its own or having only sufficient motive power to perform restricted manoeuvres.
1512	RoRo vessel
	Vessel with ramp designed to carry roll-on/roll-off cargo.
4000	Aircraft, type unknown
	Aircraft of unknown type.

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
TransportDetails	Occurrence 0 .. 1 Type VehicleTransportOrderTransportDetailType
xs:sequence	Occurrence 1 .. 1
RequestedPickupDate	Occurrence 0 .. 1 Type DateType2 Remark Pick-up date, requested/required by the ordering party.
@ Format	Type DateTypeFormatCode Use required Remark Format of date / date + time , coded
	Applicable Codes
	CCYYMMDD Date
	CCYYMMDD-CCYYMMDD Period with date only
	CCYYMMDDhhmm Date and time
	CCYYMMDDhhmm- Period with date and time
	CCYYMMDDhhmm- Period with time zone offset (zone valid for both start and end)
	CCYYMMDDhhmm-Zhhmm Date & time with time zone
	CCYYMMDDhhmmZZZ Date & time with time zone offset, e. g. 20190124153000+0100 => 24.01. 2019 15:30:00 Berlin time zone (UTC +1 hour)
RequestedDeliveryDate	Occurrence 0 .. 1 Type DateType2 Remark Delivery date / time for this transport leg.
@ Format	Type DateTypeFormatCode Use required Remark Format of date / date + time , coded
	Applicable Codes
	CCYYMMDD Date
	CCYYMMDD-CCYYMMDD Period with date only
	CCYYMMDDhhmm Date and time
	CCYYMMDDhhmm- Period with date and time
	CCYYMMDDhhmm- Period with time zone offset (zone valid for both start and end)
	CCYYMMDDhhmm-Zhhmm Date & time with time zone
	CCYYMMDDhhmmZZZ Date & time with time zone offset, e. g. 20190124153000+0100 => 24.01. 2019 15:30:00 Berlin time zone (UTC +1 hour)
ConfirmedPickupDate	Occurrence 0 .. 1 Type DateType2 Remark Pick-up date, confirmed by the transport service provider. Required, if a specific date was requested in the transport order.

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
@ <i>Format</i>	<p>Type DateTypeFormatCode Use required Remark Format of date / date + time , coded</p> <p>Applicable Codes</p> <p>CCYYMMDD Date CCYYMMDD-CCYYMMDD Period with date only CCYYMMDDhhmm Date and time CCYYMMDDhhmm- Period with date and time CCYYMMDDhhmm CCYYMMDDhhmm- Period with time zone offset (zone valid for both start and end) CCYYMMDDhhmm-Zhhmm CCYYMMDDhhmmZZZ Date & time with time zone CCYYMMDDhhmmZhmm Date & time with time zone offset, e. g. 20190124153000+0100 => 24.01. 2019 15:30:00 Berlin time zone (UTC +1 hour)</p>
ConfirmedDeliveryDate	<p>Occurrence 0 .. 1 Type DateType2 Remark Delivery date (arrival at ship-to) for the ordered transport, confirmed by the transport service provider.</p>
@ <i>Format</i>	<p>Type DateTypeFormatCode Use required Remark Format of date / date + time , coded</p> <p>Applicable Codes</p> <p>CCYYMMDD Date CCYYMMDD-CCYYMMDD Period with date only CCYYMMDDhhmm Date and time CCYYMMDDhhmm- Period with date and time CCYYMMDDhhmm CCYYMMDDhhmm- Period with time zone offset (zone valid for both start and end) CCYYMMDDhhmm-Zhhmm CCYYMMDDhhmmZZZ Date & time with time zone CCYYMMDDhhmmZhmm Date & time with time zone offset, e. g. 20190124153000+0100 => 24.01. 2019 15:30:00 Berlin time zone (UTC +1 hour)</p>
TransportMeansID	<p>Occurrence 0 .. unbounded Type string_1_35 Length 1 .. 35 Remark Identification of the means of transport (e.g. license plate, ship name e.t.c.)</p>
TransportMeansName	<p>Occurrence 0 .. 1 Type xs:string Name Name of the means of transport (e.g. the vessel) used or planned for transport</p>
JourneyID	<p>Occurrence 0 .. 1 Type xs:string</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
	<p>Remark Identifier of a planned or actual movement of a means of transport such as a voyage number (ship), tour number (truck) or similar.</p>
FreeText	<p>Occurrence 0 .. unbounded</p> <p>Type FreeTextType</p> <p>Remark To transmit free text information</p>
<i>@ Qualifier</i>	<p>Type FreeTextQualifierCode</p> <p>Remark To qualify the purpose/content of the text information</p> <p>Applicable Codes</p> <p>General General txt information</p> <p>ShipFromOpeningHours Opening hours of ship-from party (when goods can be collected)</p> <p>ShipToOpeningHours Opening hours of ship-to party (when goods can be delivered)</p>
<i>@ Language</i>	<p>Type xs:language</p> <p>Pattern ([a-zA-Z]{2} [il]-[a-zA-Z]+ [xX]-[a-zA-Z]{1,8}){1,8}</p> <p>WhiteSpace collapse</p> <p>Remark Language according to 2-alpha code</p>
Line	<p>Occurrence 1 .. unbounded</p> <p>Type VehicleTransportOrderLineType</p> <p>Remark One line per each vehicle</p>
xs:sequence	<p>Occurrence 1 .. 1</p>
Vehicle	<p>Occurrence 1 .. 1</p> <p>Type VehicleType</p> <p>Remark Identifies the properties of an individual vehicle.</p>
<i>@ Priority</i>	<p>Type xs:boolean</p> <p>Remark true - with priority false - no priority</p>
<i>@ DispatchType</i>	<p>Type VehicleDespatchTypeCode</p> <p>Remark New, used, other</p>
<i>@ OrderType</i>	<p>Type xs:string</p> <p>Name see code list</p> <p>Applicable Codes</p> <p>Customer customer order</p> <p>Dealer dealer stock</p> <p>Other other</p> <p>Stock stock</p>
<i>@ YardNumber</i>	<p>Type xs:string</p> <p>Name Number of the lane or place in the yard where the vehicle is placed for loading.</p>
<i>@ SequenceNumber</i>	<p>Type xs:string</p> <p>Remark Order, in which vehicles are loaded.</p>
xs:sequence	<p>Occurrence 1 .. 1</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
xs:sequence	Occurrence 1 .. 1
VehicleID	Occurrence 1 .. 2 Type extension (string_1_35) Length 1 .. 35 Name Typically the vehicle is identified with the VIN. If that is not possible, however, a different unique identification can be used to identify the vehicle.
<i>@ Type</i>	Type VehicleIDTypeCode Use required
	Applicable Codes
	CommissionNumber self explanatory
	ProductionNumber self explanatory
	ProjectNumber self explanatory
	TrackingNumber self explanatory
	VIN Vehicle identification number according to ISO 3779
FinalDestination	Occurrence 0 .. 1 Type LocationType Remark Final destination
<i>@ Lat</i>	Type xs:decimal FractionDigits 7 Inclusive -90 .. 90 Remark Latitude of the location, max 6 fraction digits
<i>@ Lon</i>	Type xs:decimal FractionDigits 7 Inclusive -180 .. 180 Remark Longitude of the location, max 6 fraction digits
xs:sequence	Occurrence 1 .. 1
LocationID	Occurrence 0 .. 1 Type IdentifierType Length 1 .. 20 Remark County / port of discharge / ZIP code
<i>@ Agency</i>	Type IdentifierAssigningAgencyCode Remark Responsible agency or organisation assigning the identifier.
	Applicable Codes
	Buyer Identifier assigned by the buyer (customer)
	DUNS D.U.N.S. number, assigned by Dun and Bradstreet
	ISO Identifier generated according to ISO 6523 specifications
	Operator Assigned by the owner of the operation
	Seller Identifier assigned by the supplier
	UN UN/ECE

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
Address	Occurrence 0 .. 1 Type AddressType_2 Remark Name and address of the location
xs:sequence	Occurrence 1 .. 1
Name1	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 1
Name2	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Name - line 2
Street1	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35 Remark Street - line 1
Street2	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35
PostalCode	Occurrence 0 .. 1 Type string_1_10 Length 1 .. 10
City	Occurrence 0 .. 1 Type string_1_35 Length 1 .. 35
CountryCode	Occurrence 0 .. 1 Type CountryCode Remark Country, coded according to ISO 3166-2
CountryName	Occurrence 0 .. 1 Type string_1_40 Length 1 .. 40 Remark Country name
MRNContingencyIndicator	Occurrence 0 .. 1 Type xs:boolean Name True: customs contingency process for im- or export is used
NCTSContingencyIndicator	Occurrence 0 .. 1 Type xs:boolean Remark True: customs contingency process for transit is used
CustomsValue	Occurrence 0 .. 1 Type AmountType Remark Value of the vehicle for customs declaration
@ <i>Currency</i>	Type CurrencyCode Remark Currency, coded - see ISO 4217 code list
Mileage	Occurrence 0 .. 1 Type QuantityType

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

GUIDELINE

Element/Attribute	Annotation
<i>@ UoM</i>	<p>Remark Odometer reading</p> <p>Type MeasurementUnitCode</p> <p>Use required</p>
LicensePlate	<p>Occurence 0 .. 1</p> <p>Type string_1_10</p> <p>Length 1 .. 10</p> <p>Remark In case of used cars, the license plate can be transmitted too.</p>
ContainerID	<p>Occurence 0 .. 1</p> <p>Type ContainerIDType</p> <p>Name Identifier of the container the vehicle is transported in.</p>
<i>@ SealNumber</i>	<p>Type xs:string</p> <p>Remark ID or number of the seal attached to the container</p>

Bold = Element, @ + Italic = Attribute, Grey = Group



Print date: 27.09.2022

EXAMPLE(S)

Early transport order

```
<?xml version="1.0" encoding="UTF-8"?>
<Envelope Version="2022A" ControllingInstance="Odette">
  <Header>
    <ReceiverID>urn:autogrator:de:firma:ort:001</ReceiverID>
    <SenderID>urn:autogrator:it:firma:ort:001</SenderID>
    <MessageType>VehicleTransportOrder</MessageType>
    <InterchangeID>www.abc.com_201010151433</InterchangeID>
    <Timestamp>2020-05-13T14:33:55</Timestamp>
    <TestIndicator>false</TestIndicator>
  </Header>
  <Body>
    <VehicleTransportOrder Version="1.1" ControllingInstance="Odette">
      <SubType>EarlyVehicleTransportOrder</SubType>
      <DocumentID>256128064035</DocumentID>
      <IssueDate Format="CCYYMMDD">20200513</IssueDate>
      <DocumentFunctionCode>Original</DocumentFunctionCode>
      <Header>
        <SenderID Agency="Buyer">7654321</SenderID>
        <ReceiverID Agency="Odette">TSP128</ReceiverID>
        <Forwarder>
          <Identifier Agency="Odette">TSP128</Identifier>
          <Address>
            <Name1>Fast and Prompt</Name1>
            <Name2>Transport Logistics Service</Name2>
            <Street1>Fast Lane 1</Street1>
            <PostalCode>80100</PostalCode>
            <City>Napoli</City>
            <CountryCode>IT</CountryCode>
          </Address>
        </Forwarder>
        <ShipFrom>
          <Identifier Agency="Buyer">7654321</Identifier>
          <Address>
            <Name1>Colossal Car Company</Name1>
            <Street1>Behrenstraße 35</Street1>
            <PostalCode>10117</PostalCode>
            <City>Berlin</City>
            <CountryCode>DE</CountryCode>
          </Address>
          <Contact Qualifier="Information">
            <Name>G. Gualtiero</Name>
            <Email>g.gualtiero@ccc.de</Email>
          </Contact>
        </ShipFrom>
        <ShipTo>
          <Identifier Agency="Buyer">248163264</Identifier>
          <Address>
            <Name1>Compound Management</Name1>
            <Name2>European SE</Name2>
            <Street1>Port Street 25</Street1>
            <PostalCode>3198 LK</PostalCode>
            <City>Rotterdam</City>
            <CountryCode>NL</CountryCode>
          </Address>
          <UnloadingPoint Lat="51.9304296" Lon="4.1965153">
            <LocationID Agency="Operator">Pier 7</LocationID>
          </UnloadingPoint>
        </ShipTo>
      </Header>
    </VehicleTransportOrder>
  </Body>
</Envelope>
```

```
</UnloadingPoint>
</ShipTo>
<LogisticsServiceProvider>
  <Identifier Agency="Odette">401649351</Identifier>
  <Identifier Agency="DUNS">987654321</Identifier>
  <Address>
    <Name1>Best Logistics</Name1>
    <Street1>Street 42</Street1>
    <PostalCode>13579</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
  <Contact Qualifier="Information">
    <Identifier>0815</Identifier>
    <Name>Beata Rapid</Name>
    <Telephone>004930123456-0815</Telephone>
  </Contact>
</LogisticsServiceProvider>
<TransportBuyer>
  <Identifier Agency="Buyer">7654321</Identifier>
  <Address>
    <Name1>Colossal Car Company</Name1>
    <Street1>Behrenstraße 35</Street1>
    <PostalCode>10117</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
</TransportBuyer>
<TransportSeller>
  <Identifier Agency="Odette">TSP128</Identifier>
  <Address>
    <Name1>Fast and Prompt</Name1>
    <Name2>Transport Logistics Service</Name2>
    <Street1>Fast Lane 1</Street1>
    <PostalCode>80100</PostalCode>
    <City>Napoli</City>
    <CountryCode>IT</CountryCode>
  </Address>
</TransportSeller>
<TransportMode Requirements="open">3</TransportMode>
<TransportMeansType>31</TransportMeansType>
<TransportDetails>
  <RequestedPickupDate Format="CCYYMMDD">20200521</RequestedPickupDate>
</TransportDetails>
</Header>
<Line>
  <Vehicle Priority="false" DispatchType="new" YardNumber="5" SequenceNumber="5">
    <VehicleID Type="ProductionNumber">PR987186</VehicleID>
    <VehicleID Type="VIN">UNKNOWN</VehicleID>
    <UltimateCustomer>
      <Address>
        <CountryCode>US</CountryCode>
      </Address>
    </UltimateCustomer>
    <FinalDestination>
      <LocationID Agency="Operator">US CHI</LocationID>
    </FinalDestination>
  </Vehicle>
</Line>
```

```
    <FinalDestinationDeliveryDate
Format="CCYYMMDD">20200601</FinalDestinationDeliveryDate>
    <CountryOfOrigin>DE</CountryOfOrigin>
  </Vehicle>
  <Model Cluster="Sedan">
    <Name>Nice Car</Name>
    <Version>2019</Version>
    <ModelGroup>Diesel</ModelGroup>
  </Model>
</Line>
<Line>
  <Vehicle Priority="false" DispatchType="new" YardNumber="12" SequenceNumber="6">
    <VehicleID Type="ProductionNumber">PR987185</VehicleID>
    <VehicleID Type="VIN">UNKNOWN</VehicleID>
    <UltimateCustomer>
      <Address>
        <CountryCode>US</CountryCode>
      </Address>
    </UltimateCustomer>
    <FinalDestination>
      <LocationID Agency="Operator">US CHI</LocationID>
    </FinalDestination>
    <FinalDestinationDeliveryDate
Format="CCYYMMDD">20200601</FinalDestinationDeliveryDate>
    <CountryOfOrigin>DE</CountryOfOrigin>
  </Vehicle>
  <Model Cluster="Sedan">
    <Name>Beautiful Car</Name>
    <ModelGroup>Diesel</ModelGroup>
  </Model>
</Line>
</VehicleTransportOrder>
</Body>
</Envelope>
```

Vehicle transport order

```
<?xml version="1.0" encoding="UTF-8"?>
<Envelope Version="2020A" ControllingInstance="Odette">
  <Header>
    <ReceiverID>urn:autogrations.de:firma:ort:001</ReceiverID>
    <SenderID>SenderID</SenderID>
    <MessageType>VehicleTransportOrder</MessageType>
    <InterchangeID>www.abc.com_201010151433</InterchangeID>
    <Timestamp>2020-05-20T14:33:55</Timestamp>
    <TestIndicator>false</TestIndicator>
  </Header>
  <Body>
    <VehicleTransportOrder Version="1.0" ControllingInstance="Odette">
      <SubType>EarlyVehicleTransportOrder</SubType>
      <DocumentID>256128064057</DocumentID>
      <IssueDate Format="CCYYMMDD">20200520</IssueDate>
      <DocumentFunctionCode>Original</DocumentFunctionCode>
      <Header>
        <SenderID Agency="Buyer">7654321</SenderID>
        <ReceiverID Agency="Odette">TSP128</ReceiverID>
        <Forwarder>
          <Identifier Agency="Odette">TSP128</Identifier>
          <Address>
            <Name1>Fast and Prompt</Name1>
            <Name2>Transport Logistics Service</Name2>
            <Street1>Fast Lane 1</Street1>
            <PostalCode>80100</PostalCode>
            <City>Napoli</City>
            <CountryCode>IT</CountryCode>
          </Address>
        </Forwarder>
        <ShipFrom>
          <Identifier Agency="Buyer">7654321</Identifier>
          <Address>
            <Name1>Colossal Car Company</Name1>
            <Street1>Behrenstraße 35</Street1>
            <PostalCode>10117</PostalCode>
            <City>Berlin</City>
            <CountryCode>DE</CountryCode>
          </Address>
          <LoadingPoint Lat="52.515738" Lon="13.393085">
            <LocationID Agency="Buyer">Yard 3</LocationID>
          </LoadingPoint>
          <Contact Qualifier="Information">
            <Name>G. Gualtiero</Name>
            <Email>g.gualtiero@ccc.de</Email>
          </Contact>
        </ShipFrom>
        <ShipTo>
          <Identifier Agency="Buyer">248163264</Identifier>
          <Address>
            <Name1>Compound Management</Name1>
            <Name2>European SE</Name2>
            <Street1>Port Street 25</Street1>
            <PostalCode>3198 LK</PostalCode>
            <City>Rotterdam</City>
            <CountryCode>NL</CountryCode>
          </Address>
        </ShipTo>
      </Header>
    </VehicleTransportOrder>
  </Body>
</Envelope>
```

```
</Address>
<UnloadingPoint Lat="51.9304296" Lon="4.1965153">
  <LocationID Agency="Operator">Pier 7</LocationID>
</UnloadingPoint>
</ShipTo>
<LogisticsSeviceProvider>
  <Identifier Agency="Odette">401649351</Identifier>
  <Identifier Agency="DUNS">987654321</Identifier>
  <Address>
    <Name1>Best Logistics</Name1>
    <Street1>Street 42</Street1>
    <PostalCode>13579</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
  <Contact Qualifier="Information">
    <Identifier>0815</Identifier>
    <Name>Beata Rapid</Name>
    <Telephone>004930123456-0815</Telephone>
  </Contact>
</LogisticsSeviceProvider>
<TransportBuyer>
  <Identifier Agency="Buyer">7654321</Identifier>
  <Address>
    <Name1>Colossal Car Company</Name1>
    <Street1>Behrenstraße 35</Street1>
    <PostalCode>10117</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
</TransportBuyer>
<TransportSeller>
  <Identifier Agency="Odette">TSP128</Identifier>
  <Address>
    <Name1>Fast and Prompt</Name1>
    <Name2>Transport Logistics Service</Name2>
    <Street1>Fast Lane 1</Street1>
    <PostalCode>80100</PostalCode>
    <City>Napoli</City>
    <CountryCode>IT</CountryCode>
  </Address>
</TransportSeller>
<TransportMode Requirements="open">3</TransportMode>
<TransportMeansType>31</TransportMeansType>
<TransportDetails>
  <RequestedPickupDate Format="CCYYMMDD">20200521</RequestedPickupDate>
</TransportDetails>
</Header>
<Line>
  <Vehicle Priority="false" DispatchType="new" YardNumber="5" SequenceNumber="5">
    <VehicleID Type="VIN">12345678901234567</VehicleID>
    <UltimateCustomer>
      <Address>
        <CountryCode>US</CountryCode>
      </Address>
    </UltimateCustomer>
    <FinalDestinationDeliveryDate
Format="CCYYMMDD">20200601</FinalDestinationDeliveryDate>
```

```
<Manufacturer>
  <Name>CCC</Name>
  <CountryCode>DE</CountryCode>
</Manufacturer>
<CountryOfOrigin>DE</CountryOfOrigin>
<ManufacturingDate Format="CCYYMMDD">20200519</ManufacturingDate>
</Vehicle>
<Model Cluster="Hatchback">
  <Name>Nice Car</Name>
  <Version>2019</Version>
  <ModelGroup>Diesel</ModelGroup>
</Model>
</Line>
<Line>
  <Vehicle Priority="false" DispatchType="new" YardNumber="12" SequenceNumber="6">
    <VehicleID Type="VIN">12345678901234534</VehicleID>
    <UltimateCustomer>
      <Address>
        <CountryCode>US</CountryCode>
      </Address>
    </UltimateCustomer>
    <FinalDestinationDeliveryDate
Format="CCYYMMDD">20200601</FinalDestinationDeliveryDate>
    <Manufacturer>
      <Name>CCC</Name>
      <CountryCode>DE</CountryCode>
    </Manufacturer>
    <CountryOfOrigin>DE</CountryOfOrigin>
    <ManufacturingDate Format="CCYYMMDD">20200519</ManufacturingDate>
  </Vehicle>
  <Model Cluster="Hatchback">
    <Name>Beautiful Car</Name>
    <Version>2020</Version>
    <ModelGroup>Diesel</ModelGroup>
  </Model>
</Line>
</VehicleTransportOrder>
</Body>
</Envelope>
```

Transport order response

```
<?xml version="1.0" encoding="UTF-8"?>
<Envelope Version="2020A" ControllingInstance="Odette">
  <Header>
    <ReceiverID>urn:autogratiion:de:firma:ort:001</ReceiverID>
    <SenderID>urn:autogratiion:de:firma:ort:001</SenderID>
    <MessageType>VehicleTransportOrder</MessageType>
    <InterchangeID>www.abc.com_201010151433</InterchangeID>
    <Timestamp>2020-05-20T14:33:55</Timestamp>
    <TestIndicator>false</TestIndicator>
  </Header>
  <Body>
    <VehicleTransportOrder Version="1.0" ControllingInstance="Odette">
      <SubType>VehicleTransportOrderResponse</SubType>
      <DocumentID>256128064057</DocumentID>
      <IssueDate Format="CCYYMMDD">20200520</IssueDate>
      <DocumentFunctionCode>Original</DocumentFunctionCode>
      <Header>
        <SenderID Agency="Buyer">7654321</SenderID>
        <ReceiverID Agency="Odette">TSP128</ReceiverID>
        <Forwarder>
          <Identifier Agency="Odette">TSP128</Identifier>
          <Address>
            <Name1>Fast and Prompt</Name1>
            <Name2>Transport Logistics Service</Name2>
            <Street1>Fast Lane 1</Street1>
            <PostalCode>80100</PostalCode>
            <City>Napoli</City>
            <CountryCode>IT</CountryCode>
          </Address>
        </Forwarder>
        <ShipFrom>
          <Identifier Agency="Buyer">7654321</Identifier>
          <Address>
            <Name1>Colossal Car Company</Name1>
            <Street1>Behrenstraße 35</Street1>
            <PostalCode>10117</PostalCode>
            <City>Berlin</City>
            <CountryCode>DE</CountryCode>
          </Address>
          <Contact Qualifier="Information">
            <Name>G. Gualtiero</Name>
            <Email>g.gualtiero@ccc.de</Email>
          </Contact>
        </ShipFrom>
        <ShipTo>
          <Identifier Agency="Buyer">248163264</Identifier>
          <Address>
            <Name1>Compound Management</Name1>
            <Name2>European SE</Name2>
            <Street1>Port Street 25</Street1>
            <PostalCode>3198 LK</PostalCode>
            <City>Rotterdam</City>
            <CountryCode>NL</CountryCode>
          </Address>
          <UnloadingPoint Lat="51.9304296" Lon="4.1965153">
            <LocationID Agency="Operator">Pier 7</LocationID>
          </UnloadingPoint>
        </ShipTo>
      </Header>
    </VehicleTransportOrder>
  </Body>
</Envelope>
```

```
</UnloadingPoint>
</ShipTo>
<LogisticsServiceProvider>
  <Identifier Agency="Odette">401649351</Identifier>
  <Identifier Agency="DUNS">987654321</Identifier>
  <Address>
    <Name1>Best Logistics</Name1>
    <Street1>Street 42</Street1>
    <PostalCode>13579</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
  <Contact Qualifier="Information">
    <Identifier>0815</Identifier>
    <Name>Beata Rapid</Name>
    <Telephone>004930123456-0815</Telephone>
  </Contact>
</LogisticsServiceProvider>
<TransportBuyer>
  <Identifier Agency="Buyer">7654321</Identifier>
  <Address>
    <Name1>Colossal Car Company</Name1>
    <Street1>Behrenstraße 35</Street1>
    <PostalCode>10117</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
</TransportBuyer>
<TransportSeller>
  <Identifier Agency="Odette">TSP128</Identifier>
  <Address>
    <Name1>Fast and Prompt</Name1>
    <Name2>Transport Logistics Service</Name2>
    <Street1>Fast Lane 1</Street1>
    <PostalCode>80100</PostalCode>
    <City>Napoli</City>
    <CountryCode>IT</CountryCode>
  </Address>
</TransportSeller>
<TransportMode Requirements="open">3</TransportMode>
<TransportMeansType>31</TransportMeansType>
<TransportDetails>
  <RequestedPickupDate Format="CCYYMMDD">20200521</RequestedPickupDate>
  <ConfirmedPickupDate Format="CCYYMMDD">20200521</ConfirmedPickupDate>
</TransportDetails>
</Header>
<Line>
  <Vehicle Priority="false" DispatchType="new" YardNumber="5" SequenceNumber="5">
    <VehicleID Type="VIN">12345678901234567</VehicleID>
  </Vehicle>
</Line>
<Line>
  <Vehicle Priority="false" DispatchType="new" YardNumber="12" SequenceNumber="6">
    <VehicleID Type="VIN">12345678901234534</VehicleID>
  </Vehicle>
</Line>
</VehicleTransportOrder>
</Body>
```

</Envelope>

Planned load configuration

```
<?xml version="1.0" encoding="UTF-8"?>
<Envelope Version="2020A" ControllingInstance="Odette">
  <Header>
    <ReceiverID>urn:autogratiion:de:firma:ort:001</ReceiverID>
    <SenderID>SenderID</SenderID>
    <MessageType>VehicleTransportOrder</MessageType>
    <InterchangeID>www.abc.com_201010151433</InterchangeID>
    <Timestamp>2020-05-20T14:33:55</Timestamp>
    <TestIndicator>>false</TestIndicator>
  </Header>
  <Body>
    <VehicleTransportOrder Version="1.0" ControllingInstance="Odette">
      <SubType>PlannedLoadConfiguration</SubType>
      <DocumentID>3450219462548</DocumentID>
      <IssueDate Format="CCYYMMDD">20200520</IssueDate>
      <DocumentFunctionCode>Original</DocumentFunctionCode>
      <Header>
        <SenderID Agency="Buyer">7654321</SenderID>
        <ReceiverID Agency="Odette">TSP128</ReceiverID>
        <Forwarder>
          <Identifier Agency="Odette">TSP128</Identifier>
          <Address>
            <Name1>Fast and Prompt</Name1>
            <Name2>Transport Logistics Service</Name2>
            <Street1>Fast Lane 1</Street1>
            <PostalCode>80100</PostalCode>
            <City>Napoli</City>
            <CountryCode>IT</CountryCode>
          </Address>
        </Forwarder>
        <ShipFrom>
          <Identifier Agency="Buyer">7654321</Identifier>
          <Address>
            <Name1>Colossal Car Company</Name1>
            <Street1>Behrenstraße 35</Street1>
            <PostalCode>10117</PostalCode>
            <City>Berlin</City>
            <CountryCode>DE</CountryCode>
          </Address>
          <LoadingPoint Lat="52.515738" Lon="13.393085">
            <LocationID Agency="Buyer">Yard 3</LocationID>
          </LoadingPoint>
          <Contact Qualifier="Information">
            <Name>G. Gualtiero</Name>
            <Email>g.gualtiero@ccc.de</Email>
          </Contact>
        </ShipFrom>
        <ShipTo>
          <Identifier Agency="Buyer">248163264</Identifier>
          <Address>
            <Name1>Compound Management</Name1>
            <Name2>European SE</Name2>
            <Street1>Port Street 25</Street1>
            <PostalCode>3198 LK</PostalCode>
            <City>Rotterdam</City>
            <CountryCode>NL</CountryCode>
          </Address>
        </ShipTo>
      </Header>
    </VehicleTransportOrder>
  </Body>
</Envelope>
```

```
</Address>
<UnloadingPoint Lat="51.9304296" Lon="4.1965153">
  <LocationID Agency="Operator">Pier 7</LocationID>
</UnloadingPoint>
</ShipTo>
<LogisticsServiceProvider>
  <Identifier Agency="Odette">401649351</Identifier>
  <Address>
    <Name1>Best Logistics</Name1>
    <Street1>Street 42</Street1>
    <PostalCode>13579</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
  <Contact Qualifier="Information">
    <Identifier>0815</Identifier>
    <Name>Beata Rapid</Name>
    <Telephone>004930123456-0815</Telephone>
  </Contact>
</LogisticsServiceProvider>
<TransportBuyer>
  <Identifier Agency="Buyer">7654321</Identifier>
  <Address>
    <Name1>Colossal Car Company</Name1>
    <Street1>Behrenstraße 35</Street1>
    <PostalCode>10117</PostalCode>
    <City>Berlin</City>
    <CountryCode>DE</CountryCode>
  </Address>
</TransportBuyer>
<TransportSeller>
  <Identifier Agency="Odette">TSP128</Identifier>
  <Address>
    <Name1>Fast and Prompt</Name1>
    <Name2>Transport Logistics Service</Name2>
    <Street1>Fast Lane 1</Street1>
    <PostalCode>80100</PostalCode>
    <City>Napoli</City>
    <CountryCode>IT</CountryCode>
  </Address>
</TransportSeller>
<Reference Qualifier="TransportOrder">256128064057</Reference>
<TransportMode Requirements="open">3</TransportMode>
<TransportMeansType>31</TransportMeansType>
<TransportDetails>
  <RequestedPickupDate Format="CCYYMMDD">20200521</RequestedPickupDate>
  <ConfirmedPickupDate Format="CCYYMMDD">20200521</ConfirmedPickupDate>
</TransportDetails>
</Header>
<Line>
  <Vehicle SequenceNumber="5">
    <VehicleID Type="VIN">12345678901234567</VehicleID>
  </Vehicle>
</Line>
<Line>
  <Vehicle SequenceNumber="6">
    <VehicleID Type="VIN">12345678901234534</VehicleID>
  </Vehicle>
</Line>
```

```
</Line>  
</VehicleTransportOrder>  
</Body>  
</Envelope>
```